

2019

CITATION CJ4

525C-0292



Beechcraft

BY TEXTRON AVIATION





525C-0292



525C-0292



525C-0292





525C-0292





525C-0292





525C-0292





525C-0292



525C-0292

525C-0292

2019 Citation CJ4

Registration number: D-CWIR

TOTAL TIME: 1318.9 Hours / 1061 Landings (as of 16 March 2026)
LEFT ENGINE: 1318.9 Hours / 1061 Cycles
RIGHT ENGINE: 1318.9 Hours / 1061 Cycles
PROGRAMS: TapAdvantage Blue

STANDARD EQUIPMENT:

- Pro Line 21 Integrated Avionics Suite
- Dual Collins VHF-4000 Communication Transceivers, Dual NAV and Single DME
- FA2100 Cockpit Voice Recorder
- Dual Collins Mode S Diversity Transponder with Enhanced Surveillance and ADS-B Out
- Collins Multi Scan RTA-4112 Weather Radar
- Collins TSS-4100 (TCAS II)
- Collins IFIS 5000
- Honeywell Mark VIII Class A TAWS
- Artex C406N 3-Frequency ELT
- XM Satellite Weather (requires subscription)
- Electronic Charts (requires subscription)

OPTIONS INSTALLED:

- Cabin Stereo Speakers
- 115VAC 1200 W Inverter
- USB Charging Ports
- WX-1000E Stormscope
- Interactive Graphical WX
- HF 9000 with SELCAL
- FA2100 FDR
- Single ADF
- Second FMS/GPS/DME
- Nose Gear Ice Boot
- Passenger Swivel Seats

CABIN:

- Cabin Seating for 7 Passengers (Six Cabin Seats and Right-Hand Forward Side-Facing Seat)
- Left-Hand Forward Refreshment Center
- Right-Hand Forward Cabinet
- Venue Cabin Management System
- 10.6" Monitor in RH Forward Cabinet
- Stereo Speakers
- Iridium Axxess II Phone System
- Executive & Slimline Tables
- Left-Hand Belted Flushing Toilet
- 115 VAC Outlets

INTERIOR:

Overall Gray Tones, Birds Eye Maple High Gloss Wood Veneer and Crystalite Black Hardware.

EXTERIOR:

Snow White and Slate Gray Metallic Split Base Paint, with Starlight Silver Effect and Light Charcoal Effect Markings. Stainless Steel Screw Kit

SPECIFICATIONS ARE SUBJECT TO VERIFICATION BY PURCHASER.

AIRCRAFT LISTING MANAGED BY TEXTRON AVIATION ON BEHALF OF AIRCRAFT OWNER

U.S. +1.844.44.TXTAV | INTERNATIONAL +1.316.517.8270 | TXTAV.COM/PREOWNED

© 2026 Textron Aviation Inc. All rights reserved.

