


2005

CITATION SOVEREIGN

680-0029



BY TEXTRON AVIATION





680-0029



680-0029



680-0029





680-0029

N33SL

N33SL



RADIO 1/2

123.000 123.000

119.000 119.000

118.000 118.000

117.000 117.000

116.000 116.000

115.000 115.000

114.000 114.000

113.000 113.000

112.000 112.000

111.000 111.000

110.000 110.000

109.000 109.000

108.000 108.000

107.000 107.000

106.000 106.000

105.000 105.000

104.000 104.000

103.000 103.000

102.000 102.000

101.000 101.000

100.000 100.000

99.000 99.000

98.000 98.000

97.000 97.000

96.000 96.000

95.000 95.000

94.000 94.000

93.000 93.000

92.000 92.000

91.000 91.000

90.000 90.000

89.000 89.000

88.000 88.000

87.000 87.000

86.000 86.000

85.000 85.000

84.000 84.000

83.000 83.000

82.000 82.000

81.000 81.000

80.000 80.000

79.000 79.000

78.000 78.000

77.000 77.000

76.000 76.000

75.000 75.000

74.000 74.000

73.000 73.000

72.000 72.000

71.000 71.000

70.000 70.000

69.000 69.000

68.000 68.000

67.000 67.000

66.000 66.000

65.000 65.000

64.000 64.000

63.000 63.000

62.000 62.000

61.000 61.000

60.000 60.000

59.000 59.000

58.000 58.000

57.000 57.000

56.000 56.000

55.000 55.000

54.000 54.000

53.000 53.000

52.000 52.000

51.000 51.000

50.000 50.000

49.000 49.000

48.000 48.000

47.000 47.000

46.000 46.000

45.000 45.000

44.000 44.000

43.000 43.000

42.000 42.000

41.000 41.000

40.000 40.000

39.000 39.000

38.000 38.000

37.000 37.000

36.000 36.000

35.000 35.000

34.000 34.000

33.000 33.000

32.000 32.000

31.000 31.000

30.000 30.000

29.000 29.000

28.000 28.000

27.000 27.000

26.000 26.000

25.000 25.000

24.000 24.000

23.000 23.000

22.000 22.000

21.000 21.000

20.000 20.000

19.000 19.000

18.000 18.000

17.000 17.000

16.000 16.000

15.000 15.000

14.000 14.000

13.000 13.000

12.000 12.000

11.000 11.000

10.000 10.000

9.000 9.000

8.000 8.000

7.000 7.000

6.000 6.000

5.000 5.000

4.000 4.000

3.000 3.000

2.000 2.000

1.000 1.000

0.000 0.000

680-0029

2005 Citation Sovereign

Registration number: N33SL

TOTAL TIME: 14653.2 Hours / 9556 Landings (as of June 16, 2024)
LEFT ENGINE: 12894.1 Hours / 8388 Cycles
RIGHT ENGINE: 12869.7 Hours / 8341 Cycles
APU: 6485.2 Hours / 10524 Events
ENGINE PROGRAM: P&W ESP Silver Lite
AIRFRAME PROGRAM: ProParts

STANDARD EQUIPMENT:

- Honeywell Primus Epic Avionics System
- Dual Nav, Dual Comm, Dual DME, Single ADF
- Dual integrated FMS with Dual MCDUs
- Honeywell CAS 67A TCAS II with software change 7
- Honeywell AA-300 Radio Altimeter
- Honeywell 880 Color Weather Radar with Turbulence Detection
- Honeywell EGPWS – Class A TAWS
- L-3 Communications FA2100 Cockpit Voice Recorder
- 406MHz Three Frequency ELT
- Aircraft Diagnostic Maintenance System
- RVSM Capable

OPTIONS INSTALLED


- Gogo 3G ATG 4000
- ADS-B/WAAS
- Data Management Unit
- Dual Honeywell KHF-1050 with SELCAL

CABIN: Main cabin seating for eight passengers arranged in a double-club configuration.

- Left-hand forward closet
- Right-hand refreshment center
- 110 VAC outlets
- Non-belted externally serviceable flushing toilet
- Aft vanity

INTERIOR:

Overall almond. Cabinetry is F/C Mozambique wood veneer with Polished Champagne Gold plating.



EXTERIOR:

Main cabin seating for eight passengers arranged in a double-club configuration.

SPECIFICATIONS ARE SUBJECT TO VERIFICATION BY PUHASER.

AIRCRAFT LISTING MANAGED BY TEXTRON AVIATION ON BEHALF OF AIRCRAFT OWNER
U.S. +1.844.44.TXTAV | INTERNATIONAL +1.316.517.8270 | TXTAV.COM/PREOWNED

© 2024 Textron Aviation Inc. All rights reserved.